

# NCCR-MICS Working Group 2 Sensor and Actuator Platforms

Sensor Network Platform Kit – Proposal Jan Beutel





# Results of the WG2 Kickoff Meeting

#### Many applications have similar requirements.

Periodic, duty-cycled, low-power SNs

#### Establish a "known-to-work" platform for MICS members

- For "standard" data collection and analysis
- Hardware (+embedded software)
- Software systems (access, infrastructure)
- Support through staffed "product group"

#### ~6 groups interested

Murphy, Decotignie, Baumgartner, Tschudin, Thiele, Grossglauser

# **MICS Application Requirements**

|                           | Pollution | UWB   | Wise<br>Net | Deploy<br>ment | Sensor<br>Scope | Odor<br>Source | Perma-<br>forst | Event<br>Detect | Avalan<br>ches | Mobility | Global | Building |
|---------------------------|-----------|-------|-------------|----------------|-----------------|----------------|-----------------|-----------------|----------------|----------|--------|----------|
| # Devices                 | +++++     | no    | yes         | +++++          | +++++           | +/-            | +/-             | +/-             | +/-            | yes      | +/-    | yes      |
| Miniaturization           | +/-       | no    | yes         | +/-            | no              | +/-            | yes             | no              | yes            | +/-      | no     | +/-      |
| Autonomy                  | yes       | no    | yes         | yes            | yes             | yes            | +++++           | no              | yes            | yes      | ?      | yes      |
| Battery power<br>Lifetime | yes       | no    | +++++       | yes            | yes             | +/-            | yes             | ?               | yes            | yes      | +/-    | +++++    |
| Environmental hazards     | yes       | no    | ?           | no             | +++++           | yes            | +++++           | no              | +++++          | yes      | no     | yes      |
| Infrastructure access     | yes       | no    | yes         | yes            | yes             | no             | yes             | ?               | yes            | no       | +++++  | yes      |
| Performance computation   | no        | +++++ | no          | no             | no              | yes            | no              | +++++           | yes            | yes      | yes    | no       |
| Performance networking    | no        | yes   | no          | yes            | no              | no             | no              | no              | yes            | no       | yes    | no       |
| QoS                       | no        | ?     | no          | yes            | no              | no             | no              | no              | yes            | no       | no     | +++++    |
| Location                  | yes       | yes   | no          | +/-            | yes             | yes            | +/-             | yes             | +++++          | +++++    | +/-    | yes      |
| Sensors                   | yes       | no    | no          | no             | yes             | +++++          | yes             | +++++           | yes            | yes      | ?      | yes      |
| Testing<br>Deployment     | +++++     | yes   | yes         | +++++          | yes             | yes            | yes             | yes             | yes            | yes      | +++++  | yes      |


(1) (1) (1) (1) (1) (1)



# **MICS Application Types**


- Periodic, duty-cycled, low-power SNs
  - Pollution, WiseNet, SensorScope, Odor Sources, WaterSense, PermaSense, Smart Buildings, Mobility
- Specialized test systems
  - UWB platform, Event detection, Avalanches
- Tools, testbed infrastructure
  - Deployment

#### Size vs. Lifetime for Untethered, Outdoor Sensornets



#### Counter-Example: Non-Sustainable, Non-Scalable





Replace

Replace batteries

Replace node

Screw in board

17 Feb 2006 ETH Zürich

# Keep detailed records

|    | A        | В                   | С   | D                               | E            | F             |
|----|----------|---------------------|---|---------------------------------|--------------|---------------|
| 1  | INTERIOR | TREE                | 1,000   |                                 |              |               |
| 2  |          |                     |   |                                 |              |               |
| 3  | Wireless | Mote Deploy         | ment - Sonoma Study                             | Site (Grove of                  | the Old Tree | es) - 4/27/04 |
| 4  |          |                     | •   |                                 |              |               |
| 5  | Mote #   | Crown<br>height (m) | General orientation (in relation to main trunk) | Distance from<br>main trunk (m) | Chamber      |               |
| 6  | 78       | 66.5                | SW  | 0.1                             | 28           |               |
| 7  | 113      | 65.5                | SW  | 0.1                             | 28           |               |
| 8  | 109      | 64.5                | SW  | 0.1                             |              |               |
| 9  | 118      | 63.5                | SW  | 0.1                             | 28           |               |
| 10 | 105      | 62.9                | SW  | 0.1                             | 28           |               |
| 11 | 129      | 62                  | SW  | 0.1                             | 28           |               |
| 12 | 122      | 61.1                | SW  | 0.1                             |              |               |
| 13 | 127      | 60.1                | SW  | 0.1                             | 28           |               |
| 14 | 42       | 59.1                | SW  | 0.1                             | 28           |               |
| 15 | 138      | 57.8                | WSW   | 0.1                             | 28           |               |
| 16 |          | 56.1                | WSW   | 0.1                             | 28           |               |
| 17 | 119      | 55.2                | WSW   | 3                               | 28           |               |
| 18 | 59       | 5/1 5               | NW  | Λ                               | 27           |               |

# **Deploy Quickly**



# Test the network before you go home




# We got <u>820,700</u>

49% yield

Still more than we knew how to handle!

### **Data Overview**

33 motes
44 days
288 samples/day
4 sensors
1,672,704 points



# Murphy's law: everything that can go wrong will go wrong

#### March 16<sup>th</sup> [Field test 1]

- Gateway casing does not fit
- melted DC/DC converter
- TNOdes antennas fall off
- incorrect wiring of Sensirion sensor



#### May 4<sup>th</sup> [Field test 2]

- untested T-MAC version (no development tree!)
- T-MAC looses synch (never use unsigned!)
- debugging nightmare (LEDs off, low data rate)


Summer School, Dagstuhl, September 1st, 2005





# **WSN** Development Reality

It is hard to deploy anywhere beyond 10-20 nodes today.



























Coordinated methods and tools are missing today.



# **Tools for Life-cycle Support**

- What are the Hard Parts in Applications?
  - It's NOT in the network/link protocol details!
  - It's in the unexpected.
  - Moving from lab to testbed. Scaling issues
  - Sensors
  - Enclosures
  - Testing, calibration, validation, maintenance, sustainability, etc.
  - I have the data. What's next?
  - Publications, visibility and collaboration



What can be done about it?



#### **Towards a Sensor Network Platform Kit**

#### Lego Mindstorms for WSN Research

- Want a "production ready" not an "experimental" kit
- Fast learning curve
- Standard, known-to-work demo app from sensor to web interface

#### Technical Requirements

- Lot's of memory for flexible development
- ~1 year lifetime at industrial temperature ratings
- Fast radio (system) wakeup time







# Sensor Network Platform Kit – Proposal

#### Hardware/Software

- Hardware platform (nodes)
- System software support with demo applications
- Debugging/deployment support
- Central DB repository for collecting and analyzing data

#### Support

- Standard app for environmental sensing (duty-cycled multihop network)
- Tutorial/Documentation
- Installer CDROM
- Staffed support for MICS members

#### Target Audience

- MICS partners that need platform know-how to jumpstart their research
- Projects that want to share/integrate their work with others
- Projects that target a basic environmental sensing application

#### Sensor Network Platform Kit - Details

Platform kit based on Tmote Sky and TOS-1.x

- Lowest deep-sleep power consumption
- Fastest wakeup from sleep
- Pretty high data rate
- Possible migration path to TOS-2.x
- Reference SW apps available




Based on USB backbone and BTnode DSN



#### Backend Infrastructure Access

Based on generic DB, maybe SensorScope or GSN?







#### **Overview:**

- Low power platform based on MSP430 and CC2420 radio
- Variant with housing exists (Tmote Invent)
- Memory somewhat limited (10K SRAM, 48K Flash)

#### Power:

- Lowest deep sleep power (0.0153mW)
- Good power figures on other modes
- Fastest wakeup time on the market (580usec radio startup)
- Active/idle-listening/deep-sleep ratio: 58.5/65.4/0.0153

#### **Sensors:**

On-board temperature, humid and light

#### **Political:**

- US based research by-product, now commercialized
- Long-term availability/compatibility


#### **Technical:**

Best package, power-performance, large and active community base



# **SNPK – TinyOS-1.x Revisited**

- Some really bright ideas (people) at the start, not that revolutionary any more...
- Has been very successful in the community
- Some abstractions are very unfamiliar
- Complicated to use
  - Chaotic build system
  - Many replications
  - Structure often unclear
  - New/working versions not marked
- Core TOS functionality is not that big at all
- TinyOS-2.x
  - VERY PROMISING
  - Beta available
  - Reference apps are still missing



特別的自由國際



#### **SNPK – Goals/Benefits**

#### Goals - Mid-Term

- Fast jump-start for inexperienced MICS partners
- Outsourcing of engineering workload (MICS Staff, Moteiv, AoT, Shockfish)

#### Goals - Long-Term

 Re-use in parallel projects (PermaSense, WaterSense, Pollution, SensorScope, SBT-Fire, Smart Buildings)

#### **Benefits – Mid-Term**

- Short-term availability
- Co-existence with Shockfish/TinyNodes


#### **Benefits – Long-Term**

- No reliance on a single platform
- Large community base
- State-of-the-art outsourcing partners enable us to focus on the important tasks
- Possibility to interact in TOS-2.0-WGs
- Make SNPK and our expertise available to public



#### **SNPK – A Bit of Politics**

- We cannot run though phase 2 with 5+ groups just copying US research results
- A certain amount of Swiss-Made, Swiss-Ness is required by our sponsor (SNF)
- A "competing" platform lacks in term of community support and collaboration possibilities
- Where is our position?



MICS has to generate "value" in research.



# **SNPK – Are We Reinventing the Wheel?**

#### **TASK – Tiny Application Sensor Toolkit**

- Research project
- No ongoing support
- Not for generic applications

#### **TinyOS/BTnut Tutorials**

- Require mentoring, instruction
- Important parts (backend, deployment support) are missing

#### **Industry: Developer Kits**

- Are an important piece in the puzzle
- Mostly focus on different needs

#### There seems to be a void for a one-stop-shop SNPK!



#### **SNPK – Incentive for MICS Researchers**

- Faster Jumpstart
- Faster Design Cycle
- Less Bugs
- Pooling of Know-how and Experience
- Less Parallelism in Development Projects
- Increased Visibility
- Educational Support
- Collaborative Research
- Support/\$\$ by Additional Central MICS Funding



#### **SNPK - Discussion**

#### Questions for Discussion

- Who would be interested to use a SNPK? long-term? short-term?
  - Mobility (Grossglauser)
  - Smart Buildings (Hovestadt, Thiele, Morari)
  - Deployment (Mattern, Thiele)
- Who can contribute?
  - Deployment-Support Network (Thiele, Mattern)
  - Global Sensor Network (Aberer)
  - WASL Testbed Backend (Grossglauser)
  - TinyNodes, Support (Shockfish)
- Who can staff Support/knows people we can hire?
- Discussion now, decision via mailing list in 2 weeks



# **MICS WG2 Future Planning**

#### Future Meeting Topics

- Programming Workshop NO
- MICS WG2 Demo Session MAYBE
- Sensors YES
- Enclosures YES
- Data Analysis FUTURE

#### Next Meeting Date

- Combination with industry forum and research review @ EPFL in May
- Joint meeting with WG1 regarding backend infrstructure (sensor internet)